

Date: Wednesday, 3/26/2008 1:26:33 PM  
User: Kim Johnston

# Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : ROUND BILLET 17-4
Job Number : 38209	
Estimate Number : 10039	
P.O. Number :	Part Number : D6104003
This Issue : 3/26/2008 S.O. No. :	Drawing Number : D6104 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : MACHINED PARTS	Drawing Revision : B
Previous Run : 38204	Material :
Written By :	Due Date : 4/4/2008 Qty: 10 Um: Each
Checked & Approved By : <u>10 08 03 26</u>	
Comment : Est. B. 01.09.04 Revised Step 2 SM	

## Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description :

1.0

PG

PURCHASING



Comment: PURCHASING

Issue P/O: 5994

C 208103126

a) Description: S.S round billet

b) Ø3.25" x 3.80" long

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Material: 17-4PH Stainless steel (Ams 5643 or Aisi 630)

e) One blank makes 2 parts

f) Material certification required

(10)

2.0

D6104003P

17-4 SS Roundbar 3.25"OD



Comment: Qty.: 1.0000 Each(s)/Unit Total : 10.0000 Each(s)

17-4 SS Roundbar 3.25"OD

3.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material certification is attached

10 04/4

(10)

4.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D6104


10 02/04/04

(10)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
<del>28/01/04</del> 4.0		all piece top of .100". 						

NOTE: Date & initial all entries

Date: Wednesday, 3/26/2008 1:26:33 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: ROUND BILLET 17-4

Job Number: 38209

Part Number: D6104003

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *CAC*

*08-04-07 10*

6.0

QC21

FINAL INSPECTION/W/O RELEASE



*08/04/08*

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



*mf*

*08-04-07*

*W*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries



DESIGN RT	DRAWN BY 	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D6104	Rev. B SHEET 1 OF 1
DATE 02.11.25		TITLE ROUND BILLET, 17-4	SCALE NTS
A	01.04.10	NEW ISSUE	
B	02.11.25	CLARIFY ALLOY SPEC ADDED D6104-009/-011 REDUCE LENGTH OF BILLETS	

RELEASED  
02.11.29

## SPECIFICATION CONTROL DRAWING



MATERIAL: 17-4 PH SS (AMS 5643 OR AISI 630) MIN UTS = 170 KSI (38 HRC)

PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, DIAMETER x LENGTH (+0.030/-0.000) AS SHOWN.

TOLERANCE ON ALL DIMENSIONS IS +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES

Part No.	Alloy	D (Diameter)	Length
D6104-001	17-4 PH STAINLESS STEEL	Ø3.00	3.80
D6104-003	17-4 PH STAINLESS STEEL	Ø3.25	3.80
D6104-005	17-4 PH STAINLESS STEEL	Ø4.00	5.10
D6104-007	17-4 PH STAINLESS STEEL	Ø4.50	5.10
D6104-009	17-4 PH STAINLESS STEEL	Ø5.25	4.10
D6104-011	17-4 PH STAINLESS STEEL	Ø6.50	4.10

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 38209

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**VALBRUNA**

**SLATER STAINLESS, INC.**  
 2400 Taylor Street West, P.O. Box 630  
 Fort Wayne, Indiana USA 46801  
 Phone: 260-434-2892 Fax: 260-434-2905

**Product Certification Report**Report Number: **4021580****4546**

Certified on Dec 14, 2004 Page 1 of 1

Order I.D. <b>0400619 004</b>		Order Date <b>10/15/04</b>		Commodity Code	
Dim 1 <b>3.2500</b>	Dim 2 <b>.0000</b>	Dim 3 <b>.0000</b>	Heat I.D. <b>238610</b>	Customer I.D. <b>002476</b>	Customer Purchase Order <b>410001204</b>
Product Shape <b>Rounds</b>			Product Surface <b>HR &amp; Rough Turned</b>		Customer Grade <b>17-4</b>
Length (inches) <b>132.000 Min. 156.000 Max.</b>			Bill of Lading # <b>400439</b>	Weight	

**Ship  
To**

Attention: KEVIN MACNEIL  
 VALBRUNA CANADA LTD.  
 8724 HOLGATE CRESCENT  
 MILTON, ONTARIO L9T5Z1

**Sold  
To**

VALBRUNA CANADA LTD.  
 8724 HOLGATE CRESCENT  
 MILTON, ONTARIO L9T5Z1

**Lifts: 0044**

CONDITION A

EN 10204 3.1B

UNS S17400

ASTMA 564-02

ASMESA 564 01 ED 2002 ADD

AMS 5643Q

**CHEMICAL ANALYSIS**

C	Mn	P	S	Si	Cr	Ni	Mo	Cu	N	Cb	Ta	Cb+Ta
.041	.58	.027	.020	.55	15.55	4.66	.25	3.44	.04	.28	.001	.28

HB

363

**TENSILE PROPERTIES  
CAPABILITY**

HB	TS (PSI)	.2%YS (PSI)	%EL(2")	%RA	AGE(F)
444	223000	196700	13.4	45.0	900

**MAGNETIC PARTICLE TEST**

FREQ SEV

AVG .00 .00

**MACRO ASTM E340/E381**

MACRO

OK

OK

OK

**PERCENT FERRITE**

% FERRITE

AVG .8

No mercury or low melting alloy contamination. No weld repair.

Chemical testing performed to one or several of the following ASTM methods: E415, E572, E1019, E1085, E1086.

Material melted in Italy, manufactured in the United States.

Material conforms to listed specifications.

Quality system is compliant with ISO 9001:2000. Produced in accordance with EN 10204 3.1B.

Results relate only to the items tested. Certification shall not be reproduced except in full, without written approval of Valbruna Stainless Inc. The recording of false, fictitious, or fraudulent statements on this document may be punished as a felony under federal statutes, including Federal law, Title 18, Chapter 47. Consult material safety data sheet (MSDS) for hazard info.

I hereby certify that the reported figures are correct as contained in the records of the corporation.

Manager Laboratory Services

Dennis Hackett

AN. 22. 2007 12:29PM

NO. 741 P. 5

**CERTIFICATE OF TESTS**  
 CERT SERIAL# 000578891

ABNAHMEPRUEFZEUGNIS

CERTIFICAT DE CONTROLE


**TALLEY METALS**  
 A Carpenter Company

 Talley Metals Technology, Inc.  
 205 Talley Metals Lane  
 McBee, SC. 29101 Tel: (610) 208-2000 (800) 338-4592

- THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE GLOBAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

01/22/07

CUSTOMER / BESTELLER / CLIENT

SELLER / VERKÄUFER / VENDEUR PAGE 1 OF 2

 MAGNA INOXIDABLE STAINLESS, INC  
 525 MELOCHE AVE.  
 DORVAL  
 QUEBEC  
 H9P 2W2 , CANADA

 TALLEY METALS TECH, INC.  
 ACCOUNTS PAYABLE  
 P. O. BOX 2498  
 HARTSVILLE , SC 29551

CUSTOMER ORDER NO. / BESTELL-NR. / N° DE COMMANDE

CARPENTER NO. / WERKS-NR. / N° DE REFERENCE INTERNE

DATE / DATUM / DATE

WEIGHT / GEWICHT / POIDS

063970-JC-008

W53994

HEAT NUMBER / SCHMELZE-NR. / N° DE COULEE

G12470

PRODUCT DESCRIPTION: TYPE 17-4 SOLUTION ANNEALED ROUGH TURNED

 SPECIFICATION: TALLEY 174-T1A CAP OF H900 (01/11/99)  
 AMS 2303 REV E (10/ /01)  
 AMS 2315 (REAFFIRMED) REV E (04/ /06)  
 AMS 5643 REV Q (01/ /03) (EXCEPT CD ROUND CHEM & MECH PROPS ONLY)  
 ASTM-A484-05A  
 ASTM-A564-04  
 ASME-SA564 2004 EDITION

SIZE 4.000000 IN. (101.60 MM) RD BAR

PRIMARY HEAT CHEMISTRY (WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

C (COM)	MN (XRF)	SI (XRF)	P (XRF)	S (COM)	CR (XRF)
0.033	0.02	0.31	0.023	0.027	15.38
NI (XRF)	MO (XRF)	CU (XRF)	N (FUS)	CB (XRF)	TA (XRF)
4.22	0.26	3.73	0.030	0.26	LT .01
CB+TA					
0.27					

DISCS MACROETCHED AND APPROVED

HARDNESS AS SHIPPED, HB - 321 (MIDRADIUS)

MAGNETIC PARTICLES FREQUENCY = 0 / SEVERITY = 0

MICROSTRUCTURE - FERRITE .49%

SOLUTION ANNEALED - 1900 F, 1 HOUR - RAPID COOL

CONTINUED ON NEXT PAGE

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.  
 Die vorliegende Zertifikatsform ist nur den in diesem Formular genannten Kunden gültig. Carpenter übernimmt gegenüber Dritten keinerlei Haftung für die angegebenen Daten oder Zertifikatsangaben.  
 Ce certificat est uniquement valable pour le client dont le nom est imprimé sur le formulaire. Carpenter n'assume pas de responsabilité pour une certification ou des données données à d'autres personnes.

BS-882 (REV)

FORM 12-366